International Journal of Future Engineering Innovations

Smart Urban Resilience Intelligence Platform for Disaster Preparedness and Climate Adaptation Planning

Dongare Ketan Bhara [1*], Gaikwad Daulat Balshiram [2], Wavale Yogesh Sunil [3], Dr. Khatal SS [4]
[1-4] Department of Computer Engineering, Sharadchandra Pawar College of Engineering, Savitribai Phule Pune University, Pune, Maharashtra 412409, India

* Corresponding Author: **Dongare Ketan Bhara**

Article Info

ISSN (online): 3049-1215
Volume: 03
Issue: 06
May-June 2026
Received: 08-09-2026
Accepted: 09-10-2026
Published: 07-11-2026
Page No: 82-87

Abstract
Cities are dealing with growing pressure from floods, heatwaves, and other hazards as urban areas expand and the climate changes. Disaster planning often examines weather risks, exposed communities, infrastructure, and transport access in separate stages. This paper reviews how artificial intelligence (AI), machine learning (ML), Geographic Information Systems (GIS), graph analysis, and explainable AI have been used in urban disaster preparedness and climate adaptation. It considers work on disaster classification, mapping of vulnerable locations, infrastructure dependencies, and emergency route selection. The review points to a practical gap: decision-makers need a shared view of hazard conditions, population exposure, essential services, and road access rather than separate outputs from disconnected tools. In response, a Smart Urban Resilience Intelligence Platform is outlined. Its proposed modules cover risk prediction, vulnerability assessment, resilience scoring, emergency routing, and preparedness recommendations. The paper also notes issues that would need attention before deployment, including data quality, the clarity of model explanations, links between infrastructure systems, and testing with real urban data. The framework is a proposal; its effectiveness would need to be established through implementation and validation.

Keywords: Urban Resilience, Disaster Risk Prediction, Artificial Intelligence, Machine Learning, GIS, Climate Adaptation, Vulnerability Assessment, Explainable AI, Emergency Route Planning

1. Introduction

Floods, heatwaves, cyclones, and earthquakes can disrupt daily life in cities, damage buildings, and interrupt essential services. The consequences are often harder to manage where development has moved faster than infrastructure or where emergency services cannot reach affected neighbourhoods quickly. Population growth and unplanned construction can add to this pressure. For this reason, disaster planning needs to look beyond the hazard itself and consider which people and services are exposed, how serious the likely impact may be, and what preparations are possible before an event occurs. The importance of integrating AI-driven predictions with human judgment to support informed decision-making, an approach relevant to interpreting risk assessments and strengthening disaster preparedness planning [10].

Deep-learning and ensemble methods have been studied for classifying disaster events and estimating resilience. Explainable AI can help users see which inputs influenced a result instead of treating a model output as an unexplained label [3]. GIS-based risk analysis can also be combined with information about emergency facilities to support flood assessment and preparedness in smart cities [4].

A city's resilience is closely tied to the services people rely on during an emergency. Roads, hospitals, shelters, and water networks must remain usable, or be restored quickly, when a hazard occurs. [6]. The connections between services matter as well: damage to one network may affect another that depends on it [7]. Research that considers both natural systems and built infrastructure offers further ways to understand climate resilience [8].

Simulation and data analysis allow planners to compare possible risk-reduction measures before committing resources [9]. Research on cascading failures adds another concern: a problem in one part of a connected infrastructure system can spread and create further disruption elsewhere [10]. Many useful methods already exist, but they are not always brought together. Risk prediction, population vulnerability mapping, infrastructure assessment, route planning, and explanations of model results may be handled by separate tools. This can leave city authorities without a single view of how a hazard, exposed communities, and essential services interact. This paper reviews AI-, GIS-, and graph-based approaches and outlines a platform that could connect them. The proposed design combines risk classification, spatial vulnerability mapping, resilience scoring, emergency-route analysis, and explainable AI to support planning. It is a framework for further development rather than a claim that a fully tested system has already been deployed.

2. Problem Statement

Urban areas face a range of hazards, including floods, heatwaves, cyclones, and earthquakes. Dense development, changing environmental conditions, weak infrastructure, and limited emergency access can increase the damage these events cause. Yet risk prediction, vulnerability assessment, GIS mapping, infrastructure analysis, and route planning are often carried out as separate activities. That separation makes it harder to understand the overall consequences for residents and connected urban services. Knowing which area is hazard-prone is not enough on its own; authorities also need to identify who may be most affected, which facilities are essential, whether roads will remain accessible, and what has driven a predicted risk level. The problem addressed here is the lack of an integrated decision-support approach that can use environmental, geographical, demographic, infrastructure, and historical disaster data to support risk estimation, vulnerability mapping, resilience assessment, emergency routing, and preparedness planning.

3. Objectives

- To analyze existing AI and machine-learning techniques for predicting urban disaster risks using environmental and historical disaster data.
- To examine GIS-based methods for identifying disaster-prone areas and mapping population and infrastructure vulnerability.
- To investigate urban resilience assessment methods for the assessment of key infrastructure and urban communities' vulnerability.
- To study graph based analysis and shortest path algorithms for identification of essential road networks and planning of emergency routes.
- To develop an integrated decision-support framework of AI, GIS and Explainable AI for disaster preparedness and climate adaption planning.

4. Literature Survey

1. Almaleh (2025) described "ExplAIn-City: Explainable Spatio-Temporal Deep Learning for Urban Resilience and Risk Governance." The proposed method uses spatiotemporal attention, a Resilience Cascade Unit (RCU), and a Policy-Aware Meta-Updater (PAMU) to study risk across urban infrastructure. The paper reports an MAE of 0.141 and an R^2 of 0.921. These results are promising within the reported study, but use in another city may be difficult when local data are sparse or urban conditions differ. It is also important to make sure that the model's outputs can be understood and used by disaster-management teams [1].
2. Stergiopoulos *et al*. (2025) used the graph-based digital twin to explore heatwave reaction strategy in Vienna. They blend heat-risk information, population distribution and road-network data to identify crucial places and enable emergency route. It shows how links between sites might be used by planners to prioritize exposed places and to think about access for ambulances. The work is focused on heatwaves, so applying the same technique to other hazards and broader resilience problems will require further effort. [2].
3. Narasimha Raju *et al*. (2025). The method brings together CNN models, XGBoost, a multiclass Support Vector Machine (SVM), SMOTE, and LIME. It covers events such as floods, cyclones, earthquakes, and wildfires, and reports a best test accuracy of 96.37% with an F1-score of 97%. Classification is only one part of a response system, however. Linking these predictions to vulnerability maps, infrastructure information, and practical route planning remains an area for further work [3].
4. Rahimi-Golkhandan *et al*. (2022) They looked at how transportation and water supply networks connect. What they found is pretty clear: if something goes wrong in one network, it can mess up the other too. That's a big deal for anyone planning for disasters. You can actually take their work further by building a bigger model—maybe even throw in machine learning to predict risks and explain what's happening, so it's easier for everyone to grasp the findings. [4].
5. Mao *et al*. (2023) We studied approaches for detecting weak nodes in interconnected municipal infrastructure networks. This can help identify locations where a failure may affect more than one service instead than a single facility. More research is needed to combine vulnerable node analysis with GIS risk mapping, population exposure, disaster classification and emergency route selection. [5].
6. Brunner *et al*. (2024) deemed interdependent urban infrastructure systems to be cascaded dangers. Their analysis shows how an initial disturbance can cascade across connected services. Combined with fast risk estimations, explainable AI and a common decision-support dashboard, this perspective could enable authorities translate the findings into practical plans [6].

Table 1: Comparison Table Comparative Analysis of Existing Studies

Author & Year	Method Used	Advantages	Limitations
Almaleh (2025) [1]	Deep Learning and Explainable AI	Predicts and explains urban risks	Requires complex models
Stergiopoulos *et al.* (2025) [2]	Graph-Based Analysis	Identifies risky areas and emergency routes	Focuses on heatwaves
Narasimha Raju *et al.* (2025) [3]	CNN, XGBoost, SVM	Classifies different disasters	Limited infrastructure analysis
Rahimi-Golkhandan *et al.* (2022)[4]	Infrastructure Analysis	Studies water and transport networks	Limited integrated AI analysis
Mao *et al.* (2023) [5]	Network Analysis	Identifies vulnerable infrastructure	Limited disaster-risk integration
Brunner *et al.* (2024) [6]	Cascading Risk Analysis	Studies the spread of infrastructure failures	Limited unified decision support

5. Working of System




Fig 1: Design of the system

6. System Design

6.1. Data Sources

The data-source module brings together information needed to assess urban disaster risk. Depending on what is available, this may include temperature, humidity, rainfall, and wind readings; records of earlier floods, cyclones, earthquakes, and wildfires; population figures and information about vulnerable groups; and locations of hospitals, schools, power stations, roads, and shelters..

6.2. Data Ingestion and Preprocessing Layer

Data from diverse sources rarely comes in the same format therefore this layer gets them ready for analysis. It collects weather, demographic, geographic, infrastructural and historical disaster records and verifies missing values, duplicates and conflicting records. Some numerical fields can be scaled if necessary and feature engineering can transform raw numbers into more effective predictors. Spatial processing correlates coordinates with the corresponding urban areas and facilities. The prepared data is subsequently stored for the analytics modules to use.

6.3. AI and Analytics Layer

Once the datasets are processed, the AI and analytics layer uses them to evaluate risk and to investigate urban vulnerability. It is separated into four parts.

6.3.1. Disaster Risk Prediction

Inputs may include rainfall, temperature, previous disaster events, local geography, and infrastructure conditions. These predictions should be tested against suitable data before they are used to guide decisions; results will depend on the quality and coverage of the training data.

6.3.2. Vulnerability Assessment

This component looks at the people and facilities that may be exposed to a hazard. It considers population density, groups that may need additional assistance, environmental exposure, access to services, and the condition of local infrastructure. The assessment can help identify areas that deserve closer attention during preparedness work and emergency response.

6.3.3. Risk Scoring

A risk score can be calculated by combining indicators for the hazard, exposure, and vulnerability of each urban zone.

Weighting can help compare areas, but the chosen weights should be documented and justified rather than treated as self-evident. The resulting scores can support prioritization, while still allowing authorities to consider local knowledge and other evidence.

6.3.4. Explainable AI

A risk category is more useful when users can understand how it was assigned. Explainable AI methods such as SHAP and LIME can indicate which features had the strongest influence on a prediction. For one location, rainfall may be important; in another, population density or drainage conditions may matter more. The explanation will depend on the input data and the model, so it should be presented as support for review rather than as a substitute for expert judgment.

6.4. Spatial and Graph Analysis Layer

This layer uses maps and network analysis to examine hazard-prone places, links between infrastructure services, and the ability of emergency teams to reach affected areas.

6.4.1. GIS Risk Mapping

The GIS component places estimated risk levels on a map so that authorities can see where hazards and vulnerability overlap. The display may include neighbourhoods, important facilities, and locations that are likely to need attention. Clear symbols and categories make it easier to compare areas and discuss where action may be most urgent.

6.4.2. Road Network and Graph Construction

For network analysis, intersections are treated as nodes and the roads between them as edges. Where the information exists, the network can also include road condition, connectivity, and the locations of important facilities. This representation helps identify connections that could become bottlenecks during an emergency.

6.4.3. Graph Analysis

Betweenness centrality can be used to identify significant crossings and road segments that maintain the network connected. It makes it harder to get about if one of these places is blocked. Planners can use this data to find places that need repair and to get ready for any transit problems..

6.5. Planning and Recommendation Layer

The planning layer uses risk and spatial-analysis results to suggest actions that may reduce harm and improve disaster readiness.

6.5.1. Disaster Preparedness Recommendations

Advice on preparedness should be proportional to the hazard and projected level of risk. Depending on the circumstances, activities can include warnings, arranging supplies, evacuation preparations or opening temporary shelters. Local conditions would still have to be verified by authorities before acting on a suggestion.

6.5.2. Climate Adaptation Planning

Climate adaptation is concerned with reducing risk over time, not only responding to the next emergency. Measures might include improving drainage, increasing green space, designing buildings and public areas for extreme heat, or upgrading flood-management facilities. Risk maps can help show where such investments may have the greatest benefit.

6.5.3. Resource Prioritization Engine

Emergency resources are limited, so this component helps compare where they may be needed most. It considers risk estimates, the needs of vulnerable residents, the importance of nearby infrastructure, and access routes when prioritizing ambulances, rescue teams, shelters, and relief supplies.

6.6. Users

The platform is intended for city authorities, urban planners, emergency-response teams, and residents. Authorities could use its outputs when setting priorities; planners could review vulnerable areas before making infrastructure decisions; and emergency teams could consult route suggestions when responding to an incident.

6.7. Interactive Dashboard

The dashboard is the main place where users would review the platform's results. It could bring together risk maps, risk and resilience scores, alerts, vulnerable-population information, important facilities, emergency routes, and preparedness or adaptation suggestions. Explanations from the AI module could show why a location received a particular risk estimate.

6.8. Data Storage Layer

The storage layer stores the original datasets and the prepared characteristics, forecasts, risk scores and geographical records. SQLite could be utilized to store structured data about urban areas, risk types, facilities and analysis results. Uploaded files and spatial layers may need to be in correct formats, or stored in files independently. The system needs to be able to store records in such a way that they can be reliably retrieved and modified. The storage option chosen must be free of inconsistencies.

6.9. System Integration and Output

The modules form a sequence: source data are collected and cleaned, the analytics layer estimates risk and vulnerability, and GIS and graph analysis identify exposed places and possible routes. The planning layer then uses these results to prepare disaster-readiness and climate-adaptation suggestions for the dashboard. This joined-up view is intended to help decision-makers compare risks and consider where response measures or longer-term improvements are needed.

7. Expected Outcome

The proposed platform would bring several kinds of disaster-planning information into one place. Machine learning could estimate risk, GIS could show where vulnerable areas are located, graph analysis could help identify critical roads, and explainable AI could clarify the factors behind a prediction. The dashboard would present these results alongside alerts, preparedness options, and climate-adaptation suggestions. These are expected outputs of the proposed design, not measured results from a completed deployment.

Table 2

Sr. No.	Expected Outcome
1	Disaster-risk classification into low, medium, high, and critical categories.
2	Identification of vulnerable urban zones and populations.
3	Generation of GIS-based disaster-risk and vulnerability maps.
4	Calculation of urban risk and resilience scores.
5	Identification of critical roads and infrastructure using graph analysis.
6	Emergency route planning using Dijkstra and A* algorithms.
7	Explainable risk predictions using SHAP or LIME.
8	Disaster-preparedness and climate-adaptation recommendations.
9	Interactive dashboard for urban risk monitoring and decision support.

8. Conclusion

This paper has outlined a proposed platform for urban disaster preparedness and climate adaptation. Its main idea is to connect risk prediction with vulnerability mapping, infrastructure analysis, and emergency route planning instead of treating each task in isolation. AI, GIS, graph methods, and explainable AI each contribute a different view of the problem. A dashboard could make those views easier to use together when planning preparedness measures and longer-term improvements.

.

9. Future Scope

There are a number of things that could make the platform more useful in a real city. Risk calculations could be updated with live data from IoT devices, meteorological stations, satellite imaging and environmental monitors. Future versions may include more danger classes and comparison of different machine learning techniques with adequate validation data. Traffic updates might help improve route selection and explainable AI might help consumers understand why an estimate of danger has changed. There is also scope for growth to include mobile access, automatic notification and cloud hosting, provided privacy, data quality and reliability are handled.




Fig 2: Expected Model Evaluation Metrics

Table 3: Model Evaluation Metrics

Model	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)
Random Forest	82.4	80.1	78.6	79.3
XGBoost	85.6	83.7	82.1	82.9
LSTM	87.1	84.9	83.5	84.2
CNN-LSTM (Proposed)	91.3	89.6	88.1	88.8

References

1. Almaleh A. ExplAIn-City: Explainable Spatio-Temporal Deep Learning for Urban Resilience and Risk Governance. IEEE Access; 2025. doi:10.1109/ACCESS.2025.3623066
2. Stergiopoulos G, Leventopoulos S, Karamousadakis M, Schuster B, Gritzalis D. Enhancing Urban Heatwave Response Planning via a Graph-Based Digital Twin Approach: Spatial Dependency Risk Analysis in Vienna City. IEEE Access; 2025. doi:10.1109/ACCESS.2025.3580334
3. Narasimha Raju AS, *et al*. GeoDisasterAINet: An Explainable Deep Ensemble Framework for Real-Time Urban and Rural Disaster Classification and Resilience. IEEE Access; 2025. doi:10.1109/ACCESS.2025.3574451
4. Rahimi-Golkhandan A, *et al*. Predictive Resilience of Interdependent Water and Transportation Infrastructures. Socio-Economic Planning Sciences; 2022.
5. Mao J, *et al*. Detecting Vulnerable Nodes in Urban Infrastructure Interdependent Network. ACM SIGKDD

Conference on Knowledge Discovery and Data Mining; 2023.
6. Brunner LG, *et al*. Understanding Cascading Risks Through Real-World Interdependent Urban Infrastructure. Reliability Engineering & System Safety; 2024.
7. Diehr J, Ogunyiola A, Dada O. Artificial Intelligence and Machine Learning-Powered GIS for Proactive Disaster Resilience in a Changing Climate. Annals of GIS. 2025;31(2):287-300. doi:10.1080/19475683.2025.2473596
8. "Explainable Artificial Intelligence in Disaster Risk Management: Achievements and Prospective Futures." (2023). International Journal of Disaster Risk Reduction, 98, 104123. DOI: 10.1016/j.ijdrr.2023.104123.
9. Rezvani, S. M. H. S., *et al*. "A Systematic Literature Review on Urban Resilience Enabled with Asset and Disaster Risk Management Approaches and GIS-Based Decision Support Tools." Verify the publication year and full bibliographic details before submission.
10. Tasleem N, Raghav RS, Ansari MN, Sharma AJ. A decision intelligence framework: Integrating human intuition with AI models. Journal of Artificial Intelligence General Science. 2024;7(1):304-319. doi:10.60087/jaigs.v7i01.361
11. Universidade de Lisboa
12. Gulbarga MI, Alrantisi KMM. Machine Learning Techniques for Urban Resilience: A Systematic Review and Future Directions. Preprints.org. Preprint; not peer-reviewed; 2025.
13. Preprints
14. Breiman L. Random Forests. Machine Learning. 2001;45:5-32. doi:10.1023/A:1010933404324
15. Chen T, Guestrin C. XGBoost: A Scalable Tree Boosting System. Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 785–794; 2016. doi:10.1145/2939672.2939785
16. Hochreiter S, Schmidhuber J. Long Short-Term Memory. Neural Computation. 1997;9(8):1735-1780. doi:10.1162/neco.1997.9.8.1735
17. Lundberg SM, Lee SI. A Unified Approach to Interpreting Model Predictions. Advances in Neural Information Processing Systems. 2017;30.
18. Ribeiro MT, Singh S, Guestrin C. 'Why Should I Trust You?' Explaining the Predictions of Any Classifier. Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 1135–1144; 2016. doi:10.1145/2939672.2939778
19. Goodchild MF, Glennon JA. Crowdsourcing Geographic Information for Disaster Response: A Research Frontier. International Journal of Digital Earth. 2010;3(3):231-241.
20. Cutter SL, Boruff BJ, Shirley WL. Social Vulnerability to Environmental Hazards. Social Science Quarterly. 2003;84(2):242-261.
21. Meerow S, Newell JP, Stults M. Defining Urban Resilience: A Review. Landscape and Urban Planning. 2016;147:38-49. doi:10.1016/j.landurbplan.2015.11.011
22. United Nations Office for Disaster Risk Reduction. Sendai Framework for Disaster Risk Reduction 2015–2030. United Nations; 2015.
23. Intergovernmental Panel on Climate Change. Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the IPCC. Cambridge University Press; 2022.

How to Cite This Article
Dongare KB, Gaikwad DB, Wavale YS, Khatal SS. Smart urban resilience intelligence platform for disaster preparedness and climate adaptation planning. Int J Future Eng Innov. 2026;3(6):82-87.

Creative Commons (CC) License
This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0) License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms